Amendments to the Claims

- 1. (Original) A graft copolymer having a structure in which a vinyl polymer segment formed from a vinyl monomer having an acid is suspended in a molecular chain of polyolefin resin segment via a β -substituted propylene group.
- 2. (Original) The graft copolymer according to claim 1, wherein the β -substituted propylene group is a group represented by the formula (A): [Formula A]

$$R_1^1$$
 $-CH_2-CH-CH_2-\cdots$ (A)

wherein R¹ represents a phenyl group, cyano group or -COORm (Rm represents an alkyl group having 1 to 4 carbon atoms)

- 3. (Currently amended) The graft copolymer according to claim 1-or 2, wherein the polyolefin resin segment is a polypropylene resin segment.
- 4. (Currently amended) The graft copolymer according to claim 1-or-2, wherein the polyolefin resin segment is an olefin elastomer segment.
- 5. (Currently amended) The graft copolymer according to any of claims 1 to 4 claim 1, wherein the content of the vinyl polymer segment is 0.1 to 30% by weight.
- 6. (Currently amended) A graft copolymer composition containing the graft copolymer according to any of claims 1 to 5 claim 1.
- 7. (Original) The graft copolymer composition according to claim 6, wherein partial crosslinking is present.

- 8. (Currently amended) The graft copolymer composition according to claim 6-or-7, wherein the composition contains further a lubricant.
- 9. (Currently amended) A molded product obtainable by molding the graft copolymer composition according to any of claims 6 to 8 claim 6.
- 10. (Original) A method for producing a graft copolymer by reacting a vinyl monomer having an acid with polyolefin resin having a β -substituted propenyl group as a pendant.
- 11. (Original) A method for producing a graft copolymer by reacting a vinyl monomer having an acid with polyolefin resin having a β -substituted propenyl group as a pendant by heating and mixing at a temperature of not less than 30°C and not more than 400°C.
- 12. (Currently amended) The method for producing a graft copolymer according to claim 10-or-11, wherein the polyolefin resin having a β -substituted propenyl group as a pendant is produced by reacting an addition-fragmentation chain transfer agent with polyolefin resin.
- 13. (New) The graft copolymer according to claim 2, wherein the polyolefin resin segment is a polypropylene resin segment.
- 14. (New) The graft copolymer according to claim 2, wherein the polyolefin resin segment is an olefin elastomer segment.
- 15. (New) The graft copolymer according to claim 2, wherein the content of the vinyl polymer segment is 0.1 to 30% by weight.

16. (New) A graft copolymer composition containing the graft copolymer according to claim 2.

• 4

- 17. (New) The graft copolymer composition according to claim 16, wherein partial crosslinking is present.
- 18. (New) The graft copolymer composition according to claim 16, wherein the composition contains further a lubricant.
- 19. (New) A molded product obtainable by molding the graft copolymer composition according to claim 16.
- 20. (New) The method for producing a graft copolymer according to claim 11, wherein the polyolefin resin having a β -substituted propenyl group as a pendant is produced by reacting an addition-fragmentation chain transfer agent with polyolefin resin.